



PCT/EP2004 / 014382

28.01.2005



INVESTOR IN PEOPLE


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.




Signed

Dated 1 December 2004

Patents Act 1977
(Rule 16)

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

F3354 (C)/ps

2. Patent application number
(The Patent Office will fill this part in)

0408250.9

14 APR 2004

3. Full name, address and postcode of the or of each applicant (underline all surnames)

UNILEVER PLC
UNILEVER HOUSE, BLACKFRIARS
LONDON, EC4P 4BQ

Patents ADP number (if you know it)

50426956002-

1628002.

If the applicant is a corporate body, give the country/state of its incorporation

UNITED KINGDOM

4. Title of the invention

PROCESS FOR THE MANUFACTURE OF A TEA
PRODUCT AND PRODUCTS OBTAINED THEREBY

5. Name of your agent (if you have one)

ELLIOTT, Peter William

"Address for Service" in the United Kingdom to which all correspondence should be sent (including the postcode)

PATENT DEPARTMENT, UNILEVER PLC
COLWORTH HOUSE, SHARNBROOK
BEDFORD, MK44 1LQ

Patents ADP number (if you know it)

1628003.

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months.

Country	Priority application number (if you know it)	Date of filing (day / month / year)
---------	---	--

7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier application	Date of filing (day / month / year)
-------------------------------	--

8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request?

Answer YES if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

Otherwise answer NO (See note d)

YES

Patents Form 1/77

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

Description	12
Claim(s)	3
Abstract	1
Drawing(s)	-



10. If you are also filing any of the following, state how many against each item.

Priority Documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77) 1

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)



Date: 13/04/04

Sandra Jane EDWARDS, Authorised Signatory

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

Petra Silverstone (01234) 222893
petra.silverstone@unilever.com

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered YES in part 8, a Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

Process for the Manufacture of a Tea Product and Products
Obtained Thereby

Field of the Invention

- 5 This invention relates to a process for obtaining cold water infusible or extractable tea starting with black tea as the raw material and to the products obtained thereby that have improved red colour and infuse rapidly.

Background of the Invention

- 10 Leaf tea may be prepared as green leaf tea or black leaf tea. Generally, to prepare black leaf tea, fresh green leaves of the plant *Camellia sinensis* are withered (a process to allow the plucked tea leaves to lose moisture and bring about chemical / biochemical changes especially in aroma), macerated, fermented
- 15 (in which process enzymes in the tea leaf use atmospheric oxygen to oxidise various substrates to produce coloured products) and then dried at high temperature (to inactivate the enzymes). Green tea manufacture does not involve a fermentation process although partial fermentation may be used to produce
- 20 intermediate-type teas known as "oolong" tea.

- Tea is consumed as a hot beverage or as a cold beverage (for example iced tea). The numerous compounds in the leaves that give the beverage its unique organoleptic properties are only sparingly soluble in cold water therefore tea is usually
- 25 infused in water at temperatures close to 100°C.

- Cold water soluble teas are usually prepared by spray drying the liquor obtained by extraction of black tea or fibres generated during the black tea manufacturing process. However, this process requires high temperatures or treatment with harsh
- 30 chemicals like alkalis, which adversely affect the tea attributes like taste, colour and flavour.

WO 01/70038 (Unilever, 2001) concerns a process for manufacturing a cold water infusible black leaf tea comprising macerating freshly plucked tea leaves, allowing them to ferment, firing the leaves to arrest fermentation and then
5 drying them to yield black leaf tea. The process is characterised in that the tea leaves are treated with a solubilising compound selected from the group consisting of ascorbic acid, dehydroascorbic acid, L-scorbamic acid or 5-phenyl-3,4-diketo-gamma-butyrolactone, preferably during the
10 maceration step. The black leaf tea so produced is soluble in water at 5 to 100°C. The teas have a good red colour. The publication also teaches that the tea leaves are preferably treated with the solubilising compound in the presence of oxidative enzymes and/or hydrogen peroxide to enhance the tea
15 flavour and colour.

Despite the fact that the technology disclosed in WO 01/70038 represents a significant improvement in producing leaf teas that infuse rapidly and have good red colour, there is a need to produce teas with improved properties starting with black
20 tea as the raw material. Black tea is a comparatively stable product and a process using black tea as the raw material can be carried out at a location far remote from the tea gardens, greatly increasing process flexibility.

Surprisingly, we have found that treating black tea with
25 ascorbic acid and an oxidising agent, followed by drying, can produce a tea product infusible in cold water to provide a rich bright red coloured infusion in a short time.

Summary of the Invention

According to the first aspect of the invention, there is provided a
30 process for manufacturing a tea product comprising contacting black tea with ascorbic acid its salts or mixtures thereof, an oxidizing agent and water for a period of at least 5 minutes followed by

drying to prepare a tea product that is infusible in water at 5 to 100°C.

According to a preferred embodiment of the invention, there is provided a process for manufacturing a black tea product comprising
5 contacting black tea with amounts of, by weight of black tea
1 to 8% ascorbic acid its salts or mixtures thereof and
0.3 to 7% of an oxidizing agent
for a period of at least 5 minutes followed by drying to less than
5% moisture to prepare a black tea that is infusible in water at 5
10 to 100°C. Wherein the ascorbic acid its salts or mixtures thereof
and the oxidizing agent are contacted with the black tea as aqueous
solutions.

Preferably the black tea is additionally contacted with an amount of
0.1 to 8% (by weight of black tea) of one or more amino acids prior
15 to drying. Preferably also the one or more amino acids are added as
an aqueous solution.

According to a further preferred embodiment of the invention, there
is provided a process for manufacturing a tea product comprising of
contacting black tea with amounts of, by weight of black tea
20 2 to 4% ascorbic acid its salts or mixtures thereof and
0.3 to 5% of hydrogen peroxide
for a period of 5 minutes to 24 hours followed by drying to less
than 5% moisture to prepare a tea product that is infusible in water
at 5 to 100°C. Wherein the ascorbic acid its salts or mixtures
25 thereof and the oxidizing agent are contacted with the black tea as
aqueous solutions.

Preferably the black tea is additionally contacted with an amount of
0.1 to 2% (by weight of black tea) of one or more amino acids prior
to drying. Preferably also the one or more amino acids are added as
30 an aqueous solution.

The invention also pertains to the tea obtained or obtainable by this process. The tea so obtained is cold water and hot water infusible/extractable and the infusion/extract shows improved red colour. The tea also infuses quickly into the water.

- 5 It is particularly preferred that the black tea is first contacted with the ascorbic acid its salts or mixtures thereof and the one or more amino acids (if used) before it is contacted with the oxidising agent.

10

Detailed Description of the Invention

- 15 "Tea" for the purposes of the present invention means leaf material from *Camellia sinensis* var. *sinensis* or *Camellia sinensis* var. *assamica*. It also includes rooibos tea obtained from *Aspalathus linearis* however that is a poor source of endogenous fermenting enzymes. "Tea" is also intended to include the product of blending two or more of any of these teas.

20

"Leaf tea" for the purposes of this invention means a tea product that contains one or more tea origins in an uninfused form.

- 25 "Cold water infusible" for the purposes of this invention means giving good colour, flavour and mouthfeel in a short infusion time i.e. less than 10 minutes, but preferably less than 5 minutes at a temperature at or between 5 and 30°C.

- 30 For the avoidance of doubt the word "comprising" is intended to mean including but not necessarily "consisting of" or "composed of". In other words the listed steps or options need not be exhaustive.

Tea manufacture, especially black tea manufacture, traditionally comprises: withering, macerating, fermenting and firing. Black tea

for the purpose of the invention is obtained by the above process or by any other known process to prepare black tea.

The present invention concerns further treatment of the black tea obtained as described above to prepare a cold water infusible tea product. The treatment involves contacting black tea (leaf /dust) or secondaries or green leaf mixed black tea or off graded black tea or tea solids coated black tea with ascorbic acid its salts or mixtures thereof and an oxidising agent preferably hydrogen peroxide with or without peroxidase addition, in the presence of moisture, in order to enhance the infusion of the black tea in cold water. Preferably also, prior to drying, the black tea is contacted with one or more amino acids. All these agents are preferably added in the form of aqueous solutions. Alternately they may be dry mixed followed by addition of water. The tea is thus contacted for at least 5 minutes and preferably dried to less than 5% moisture. The solution can be applied singly or in split doses. The treatment is preferably given in the form of a spray or dip. The black tea can be treated either ex-drier mouth or after grading.

Ascorbic acid its salts or mixtures thereof including sodium or calcium salts are preferably added in an amount from 1% to 8% by weight of tea, more preferably from 2% to 4% by weight of tea. The ascorbic acid its salts or mixtures thereof are preferably added as an aqueous solution.

The amino acids that can optionally be used in this invention include one or more of, alanine, arginine, asparagin, cystine, glutamine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, serine, threonine, tryptophan, tyrosine and valine. The amino acids can be used singly or as a mixture. They are either mixed with ascorbic acid or can be added separately. The amount of amino acids is preferably between 0.1% to 8% by weight of tea, more preferably 0.1% to 2% by weight of tea. The resultant

solution of ascorbic and amino acid can be applied singly or in split doses. The treatment is preferably given in the form of a spray or dip.

- 5 Preferably, aqueous solutions of ascorbic acid its salts or mixtures thereof and amino acids (if used) should be heated before contacting with tea, preferably to a temperature in excess of 50°C. The amount of water can be between 10% to 100% by weight of tea, more preferably 30% to 100% by weight of tea, most preferably 40% to
10 100%.

- It is preferred that the oxidising agent is added to the black tea after the ascorbic acid and the amino acids (if used) are added. The oxidising agent may be hydrogen peroxide, calcium peroxide,
15 magnesium peroxide, oxygen (other than oxygen dissolved from ambient air) or any compound, which can release oxygen under the process conditions. The oxidising agent may be an enzyme which can release hydrogen peroxide. Preferably the oxidising agent is hydrogen peroxide. The oxidising agent is preferably added in an amount of
20 0.3% to 7% by weight of tea. When the oxidising agent is hydrogen peroxide it may be added as a 10% to 75 % solution in water. Usually hydrogen peroxide is available at 30% hydrogen peroxide solution in water. The oxidising agent is more preferably added in an amount of from 0.3% to 5% by weight of tea. The solution can be
25 applied singly or in split doses. The treatment is preferably given in the form of a spray or dip.

- The ascorbic acid its salts or mixtures thereof, the oxidising agent and water are preferably kept contacted with black tea, a process
30 step known as incubation, for a period of at least 5 minutes. The incubation may be carried out for a period of up to 24 hours. The incubation is preferably carried out at a temperature of 10 to 60°C.

The tea can be dried using any method/process known in the art, preferably giving tea with a moisture content of less than 5%.

5 Water infusions of the tea produced by the process described above in water at temperatures in the range of 5 to 100°C will give tea with superior colour and good flavour. Cold water infusions may be prepared at temperatures in the range 5 to 30°C.

10 It will be appreciated that the process of the invention can be advantageously used for improving the quality of and adding value to any low grade black teas without wastage.

The process of the invention shall now be described with reference to the following non-limiting examples:

- 15

Examples

Example 1:

20 Ascorbic acid (3 g) was dissolved in 100 mL of hot water. This solution was further heated on a boiling water bath for 5 minutes. The hot solution was sprayed on 100 grams of black tea. About 5 mL of 30% hydrogen peroxide solution was added to it. This was incubated at 25 - 30°C for about 15 minutes followed by drying on a fluidised bed drier at 130 - 140°C to
25 bring down the moisture to less than 5% on black tea basis.

Example 2:

A process as per Example 1 was carried out and additionally 0.5 g phenylalanine was added to the 100 ml water.

30

Comparative Example A:

100 grams of black tea was wetted with 100 mL hot water. This was incubated around 25 - 30°C for about 15 minutes followed by

drying on a fluidised bed drier at 130 - 140°C to bring down the moisture to less than 5% on black tea basis.

Comparative Example B:

- 5 A process as per Comparative Example A was carried out except that additionally 5 ml of 30% hydrogen peroxide was sprayed immediately after the addition of water.

Comparative Example C:

- 10 A process as per Comparative Example A was carried out except that a solution of 0.5 g of phenylalanine in 100 mL water, which had been heated on a boiling water bath for 5 minutes, was sprayed on the tea instead of the 100 mL of water used in Comparative Example A.

15

Comparative Example D:

A process as per Comparative Example C was carried out except that 3 g of ascorbic acid was used in place of 0.5 g of phenylalanine.

20

Comparative Example E:

A process as per Example 1 was carried out except that 0.5 g of phenylalanine was used instead of 3 g of ascorbic acid.

25 **Comparative Example F:**

Ascorbic acid (3 g) and phenylalanine (0.5 g) were dissolved in 100 mL hot water. This solution was heated on a boiling water bath for 5 min. The hot solution was sprayed on to 100 grams of black tea. This was incubated at 25 - 30°C for about 15 minutes

- 30 followed by drying on a fluidised bed drier at 130 - 140°C to bring down the moisture to less than 5% on black tea basis.

The teas thus prepared in Comparative Examples A to F and Examples 1 and 2 were tested for infusion in water by the following method:

5 **Process for preparing cold water infusions**

1 g of each black tea sample was infused in 100 ml of water at 25°C for 5 minutes. The solutions were filtered to give cold tea infusions and the colour of infusions obtained from was
10 measured using a Hunter Lab Ultrascan XE™ colorimeter in the transmittance mode. The data is presented in Table 1.

Colour measurements

15 L*a*b* measurements for colour were carried out on Hunterlab UltraScan XE™ colorimeter under the following conditions:

Cuvette - 2 cm (Quartz), Mode - Transmittance, Illuminant - D65, Observer - 10, Scale - CIELAB. The reflectance at 520 nm
20 was also determined.

50 ml of the brew was taken in a 2 cm quartz cuvette, transmittance/reflectance was measured under the conditions mentioned above.

25

The a* values are reported as these denote redness of the tea. The higher the value, the redder the tea. 520 nm is the wavelength at which the red colour absorbs. The higher the absorbance value the greater the red colour.

30

Table 1:

Example	a*	Absorbance 520 nm
1	41.5	1.10
2	50.4	1.51
A	28.6	0.77
B	30.7	0.85
C	21.4	0.59
D	28.3	0.78
E	29.4	0.83
F	25.0	0.66

Data in Table 1 indicates that there is synergistic benefit in adding ascorbic acid and hydrogen peroxide to the black tea (Examples 1 and 2) compared to adding any one of these ingredients. Further benefit is found by additionally contacting the tea with the phenylalanine (Example 2).

10 Rate of Infusion

The rate at which the tea infuses into cold water was also studied. The effect was studied for Comparative Example A and Examples 1 and 2. The colour of the infusion after 30 seconds, 3 and 5 minutes was determined. The data is presented in Table 2.

15

Table 2:

Example	Time (minutes)	a*	Absorbance (520 nm)
A	0.5	4.31	0.28
	3.0	18.91	0.55
	5.0	23.98	0.66
1	0.5	26.71	0.64
	3.0	30.27	0.73
	5.0	39.06	1.02
2	0.5	31.98	0.72
	3.0	45.24	1.17
	5.0	49.93	1.49

The data presented in Table 2 shows that the teas prepared by the process of the invention (Examples 1 and 2) infuse faster and give better red colour within a short period as compared to control teas. Again additional benefits are found when
5 phenylalanine is used in combination with the ascorbic acid and hydrogen peroxide (Example 2).

Aroma/Flavour enhancement - Head Space Gas Chromatography

The additional benefit of contacting the black tea with
10 phenylalanine is demonstrated by measuring the levels of key pleasant flavoured molecules like Phenyl acetaldehyde and benzaldehyde. The data for the comparative examples and examples are given in Table 3.

15 Table 3:

Example	Phenyl acetaldehyde (Peak area)	Benzaldehyde (Peak area)
1	6679	50156
2	1770134	96077
A	15349	33937
B	11063	28654
C	9683	42449
D	8522	37137
E	153824	77466
F	75130	92055

Comparative Example G:

An experiment as per Example 2 was carried out without using black tea and the colour a^* was measured at zero, 30 and 60 minutes in comparison to Example 2 and Comparative Example A. The data is summarized in Table 4

Table 4:

Example	a^* at zero time	a^* after 30 minutes	a^* after 60 minutes
A	21.79	17.17	15.84
2	50.63	54.27	53.65
G	-0.38	-0.62	-0.79

10

Table 4 demonstrates that black tea is essential for producing the red colour.

It is thus possible by way of the present invention to produce a black leaf tea that infuses quickly in hot or cold water and provides for a good red colour.

15

Claims

1. A process for the manufacture of a tea product comprising:
 - (i) contacting black tea with ascorbic acid its salts or mixtures thereof, an oxidizing agent and water for a period of at least 5 minutes; followed by
 - (ii) drying to prepare a tea product that is infusible in water at 5 to 100°C.
2. A process according to claim 1 wherein the black tea is contacted with aqueous solutions of the ascorbic acid its salts or mixtures thereof and the oxidising agent.
3. A process according to claim 1 or claim 2 wherein the ascorbic its salts or mixtures thereof is in an amount of 1 to 8% by weight of black tea.
4. A process according to claim 3 wherein the ascorbic acid its salts or mixtures thereof is in an amount of 2 to 4% by weight of black tea.
5. A process according to any of claims 1 to 4 wherein the oxidising agent is in an amount of 0.3 to 7% by weight of black tea.
6. A process according to claim 5 wherein the oxidising agent is in an amount of 0.3 to 5% by weight of black tea.
7. A process according to any of claims 1 to 6 wherein the oxidising agent is chosen from one or more of hydrogen peroxide, calcium peroxide, magnesium peroxide, oxygen, an enzyme which can release hydrogen peroxide..
8. A process according to claim 7 wherein the oxidising agent is hydrogen peroxide.

- 5 9. A process according to any of claims 1 to 8 wherein the oxidising agent is added after the addition of the ascorbic acid its salts or mixtures thereof to the black tea.
- 10 10. A process according to any of claims 1 to 9 wherein the black tea is contacted with the ascorbic acid its salts or mixtures thereof and the oxidising agent for an incubation period of 5 minutes to 24 hours.
- 15 11. A process according to any of claims 1 to 10 wherein the water is heated to a temperature of 10 to 60°C before contacting with black tea.
- 20 12. A process according to any of claims 1 to 14 wherein the black tea is dried to a moisture content of less than 5%.
- 25 13. A process according to any of claims 1 to 12 wherein the tea product is infusible in water at 5 to 30°C.
- 30 14. A process according to any of claims 1 to 13 wherein the black tea is additionally contacted with one or more amino acids prior to drying.
15. A process according to claim 14 wherein the one or more amino acids are in an amount of 0.1 to 8% by weight of black tea.
16. A process according to claim 15 wherein the one or more amino acids are in an amount of 0.1 to 2% by weight of black tea.

17. A process according to any of claims 14 to 16 wherein the one or more amino acids are chosen from one or more of alanine, arginine, asparagin, cystine, glutamine, glycine, histidine, isoleucine, leucine, lysine, methionine,
5 phenylalanine, serine, threonine, tryptophan, tyrosine, valine.
18. A process according to any of claims 14 to 17 wherein the oxidising agent is added after the addition of the one or
10 more amino acids to the black tea.
19. A tea product prepared by the process of any one of claims 1 to 18.
- 15 20. A tea product obtainable by the process of any one of claims 1 to 18.

ABSTRACT

A process is provided for the manufacture of a tea product which is readily infusible and has improved red colour. The process comprises contacting black tea with ascorbic acid
5 and/or its salts, an oxidizing agent and water for a period of at least 5 minutes followed by drying to prepare a tea product that is infusible in water at 5 to 100°C.

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/EP04/014382

International filing date: 15 December 2004 (15.12.2004)

Document type: Certified copy of priority document

Document details: Country/Office: GB
Number: 0408249.1
Filing date: 14 April 2004 (14.04.2004)

Date of receipt at the International Bureau: 04 February 2005 (04.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse